CASE STUDIES LOW IMPACT DEVELOPMENT GREEN INFRASTRUCTURE



LID WORKING GROUP JANUARY 2014







LID CATEGORIES

COMMERCIAL- OFFICE- RETAIL
NEW Small Office
RETRO Small Office
NEW Medium or Grouped Use
RETRO Medium or Grouped Use
NEW Large
RETRO Large
INDUSTRIAL
NEW Distribution
RETRO Distribution
NEW Manufacturing- Fabrication
RETRO Manufacturing- Fabrication
INSTITUTION
NEW Education- K12- College
RETRO Education- K12- College
NEW Non-Profit
RETRO Non-Profit
NEW Medical
RETRO Medical
NEW Municipal Facilities
RETRO Municipal Facilities
RECREATION
NEW Linear Park
RETRO Linear Park
NEW Neighborhood Park
RETRO Neighborhood Park
NEW Regional Park
RETRO Regional Park
NEW Basin
RETRO Basin
RESIDENTIAL
NEW Single Family
RETRO Single Family
NEW Multi-Dwelling
RETRO Multi-Dwelling
NEW Subdivision
RETRO Subdivision
NEW Master Planned Community
RETRO Master Planned Community
TRANSPORTATION
NEW Local Neighborhood
RETRO Local Neighborhood
NEW Collector
RETRO Collector
NEW Terminal

ICONS FOR LID PRACTICES

SYM PRACTICE



Berms and/ or Vegetated/ Rock Swales



Inlets or Curb Openings/ Access to Landscape Area



Roof Runoff to Landscape (new icon 12/17/2013)



Native Vegetation/ Canopy



Raised Path



Disconnect Impervious Surfaces



Cisterns or Underground Storage



Pervious Pavement



Infiltration Trenches



Use of Condensate

COMMERCIAL OFFICE RETAIL MEDICAL SMALL MEDIUM LARGE

COMMERCIAL OFFICE RETAIL MEDICAL
NEW Small Office
NEW Siliali Office
RETRO Small Office
NEW Medium or Grouped Use
RETRO Medium or Grouped Use
NEW Large- Mall, Campus
RETRO Large- Mall, Campus

Under consideration: Cat Mountain Lodge Bed & Breakfast

Ewing Irrigation Rob Paulus Office Target- Oracle Road

INDUSTRIAL DISTRIBUTION MANUFACTURING - FABRICATION

INDUSTRIAL
NEW Distribution
RETRO Distribution
NEW Manufacturing- Fabrication
RETRO Manufacturing- Fabrication

INSTITUTION EDUCATION- K THRU COLLEGE NON-PROFIT MEDICAL MUNICIPAL FACILITY

INSTITUTION
NEW Education- K12- College
UofA CAPLA (College of Architecture, Planning and Landscape Architecture)
UofA Residence Halls
RETRO Education- K12- College
UofA Visitor's Center
NEW Non-Profit
RETRO Non-Profit
Nature Conservancy
NEW Medical
RETRO Medical
TMC East Campus Renovation
NEW Municipal Facilities
Forensic Crime Laboratory- Tucson Police Department
ROMP
RETRO Municipal Facilities

Under consideration: Community Food Bank

Habitat for Humanity La Paloma Family Services Manzo Elementay School

National Outdoor Leadership School Tanque Verde Elementary School Tucson Water- Eastside Service Center

U of A Student Recreation UMC Cancer Center

PROJECT NAME: U of A CAPLA College of Architecture, Planning and Landscape Architecture Tucson, AZ

Arizona Board of Regents on behalf of University of Arizona CAPLA (College of Architecture

1040 N. Olive Road, UA campu

Planning + Landscape Architecture

Ten Eyck Landscape Architects, Aust

Ron Stoltz, Professor CAPLA

rstoltz@email.arizona.ed

0.21 Acres (9,066 sft

INSTITUTIONAL ■ Educational K12- College ■ New

LOCATION

ACRES

CLIENT

CONTACT

DESIGNED BY

COMPLETED

REGULATORY: Regulatory requirement unknown

en	Eyke	





LID/ GI DEVELOPMENT

Low Impact/ Green Infrastructure



LOCATION MAP

LESSONS LEARNED

SOMETHING TO BE PROUD OF

■ Five distinct Sonoran Desert biomes are flourishing: Arizona Wetland, Canyon, Desert Riparian, Mesquite Bosque, and Upland Sonoran. ■ Building mechanical system's greywater is harvested and stored in a vertical 11,600-gallon cistern for use in irrigation. Stormwater runoff is reduced by 2 desert arroyo 'micro-basins' and the lower patio with a 5,500-gallon retention capacity total. ■ Over 3000 visitors have been hosted on formal tours. ■ All guiding principals have been realized. ■ Reused brick and concrete from the partial building demolition line the Desert riparian channels.

SOMETHING TO BE DONE DIFFERENTLY:

■ Connection from the ET irrigation controller and the booster pump have been resolved by installation of a larger industrial cistern water filter.

Unwanted goldfish had to be removed from the pond before introduction of the native species. Use of native vine has been problematic- sometimes non-natives may be required to fulfill design

yke	LANDSCAPE	THE UNIVERS OF ARIZON

After establishment, use of

ESTIMATED \$650,000- planting, irrigation, lightin COST FUNDING Many source

CONSTRUCTION: Hardscape professionally constructed for about \$200,000. LABOR: Remainder was volunteer, primarily AAA Landscape **ACTUAL COST**

SOURCE

line the Desert Riparian channels.

MATERIALS: Majority were salvaged from site or donated from local suppliers: Mountain States Nursery, Rainbird Irrigation, Ewing Irigation Supply, Fx Luminaires, Netafim USA, Western Tree, Arid Zone Trees, Kalamazoo Materials, Landscape Forms

MAINTENANCE AAA Landscape (donated This project shows that a high performance design that harvests water, mitigates urban heat island COMPARE TO reduces urban flooding, increases urban wildlife habitat and provides an aesthetic and comfortable

CONVENTIONAL environment can be achieved at a relatively low cost. 2.5 montl

TIME TO BUILD

FINISHED PROJECT DESCRIPTION: ■ Reclaimed 1.2 acres of parking lot to create a Sonoran Desert biotic

community landscape. • Native fauna introduced (endangered fish and frogs) or immigrated (road runner; gray fox) STAKEHOLDERS: ► CHALLENGE- CAPLA faculty wanted an interpretive learning experience with a range of have thrived.
Repopulation and active predation activities have been observed.
Establishment period (first 3-5 years) reduced potable water use by 83% (280,000 gallons annually). materials.

A fun oasis and attraction for existing and future students, and professors of the CAPLA program. ■ Parking lot runoff all seemed to drain to future building entry space. potable water should be eliminated.
Reused brick and concrete, salvaged from the partial building demolition, to

2007

▶ SOLUTION- A new entry and garden/outdoor classroom to provide cleansing biosponge garden for adjacent runoff and discarded building water.

GOALS

DATA

PROJECT RECOGNITION: ASLA Honor Award for General Design, 2010. A tribute to Ten Eyck Landscape Architects

PERFORMANCE MEASURES: ■ Use local materials. ■ Conserve water by totally integrating building mechanical systems waste water: roof runoff, drinking fountain greywater, university well 'blow off' (backwash from well's sand filter) and HVAC condensate, into landscape. ■ Create sustainable livable space. ■ Reduce Urban Heat Island (UHI) effect ■ Reduce flooding around building

SUMMARY

COST

DESIGN FEATURES: ■ Stormwater runoff is reduced significantly in the landscape. ■ Landscape fully integrated with building mechanical systems. ■ ET rates integrated into high-efficiency drip irrigation system. ■ Significant terrestrial and aquatic habitat created.
Utilizes up to 250 gallons/day of well water backwash that previously went to stormwater drainage system.

High-efficiency drip irrigation system is controlled by monitoring ET rates 11,500 gallon water tank (7' diameter x 38' tall)

PHOTOS









INSTITUTIONAL PROJECT TYPE: ■ Education College


■ New **PROJECT NAME:**

UA CAPLA

The Underwood Family Sonoran **Landscape Laboratory**







PROJECT NAME: UNIVERSITY OF ARIZONA SIXTH STREET RESIDENCE HALLS

REGULATORY: ▶ 2003 Comprehensive Campus Plan: Open Space Guidelines (addresses shading, diversity of use; circulation -

The project received attention as the first residence halls in the state to achieve LEED Platinum certification.

pedestrian & bicycle corridors; way-finding; water management & sustainability).

LEED: Goal was to achieve a LEED Silver rating (a LEED Platinum rating was achieved)

► UA Manual of Design & Specifications Standards - Surface Water Procedures.

Two Residence Halls: Arbol de la Vida -NE corner 6th Street and Tynda

Likins Hall- NE corner of 6th Street and Highland Av

Debra Johnson, University of Arizona Project Manage

Wheat Scharf Associates, Landscape Archite

email: debraj@email.arizona.edu | phone: (520) 626-2420

Carl Kominsky, irrigation design (subconsultant to WS/

Arbol do la Vida: 2 AC: Likins Hall: 2.2 A

The University of Arizor

Stantec Engineering, Civ

PROJECT TYPE: ■ INSTITUTIONAL ■ Education- College ■ New

LOCATION

ACRES

CLIENT

CONTACT

DESIGNED BY

COMPLETED

The University of Arizona

PROJECT RECOGNITION:

PERFORMANCE MEASURES:

STAKEHOLDERS:

DATA

GOALS

Tucson, AZ









LID/ GI DEVELOPMENT

Low Impact/ Green Infrastructure



LOCATION MAP

LESSONS LEARNED

SOMETHING TO BE PROUD OF:

- Successful team collaboration led to the development and installation of the nnovative Deep Water Distribution System which provides supplemental irrigation to the deep-rooted meso-riparian trees used in the canyon-like courtyards of the
- The first residence halls in the state to achieve LEED Platinum certification.

SOMETHING TO BE DONE DIFFERENTLY:

■ WSA's design process balanced landscape water needs (demand) and supply options to create landscapes that could be irrigated only by on-site sources (including stormwater runoff and HVAC condensate).
Unfortunately, the project budget could not accommodate active harvesting. ■ All passive components were installed, but were unable to meet all water demands.

Ideally, buy-in from the client and team members should be obtained early in the dsign pocess to support a balanced, self-sufficient landscape design.

ESTIMATED COST Private DESIGN COST: N/A **ACTUAL COST** CONSTRUCTION COST: 123 million (total cost for both sites) **COST** MAINTENANCE Private - University COMPARE TO N/A CONVENTIONAL TIME TO BUILD 12 months

FINISHED PROJECT DESCRIPTION:

- Arbol de la Vida at Tyndall Avenue and Likins Hall at Highland Avenue together provide new on-campus housing along 6th Street for 1,088 undergraduate students.

 The landscape concept for both buildings was influenced by local elements: at Arbol de la Vida, a "slot canyon" orients rooms around oblique courtyards; at Likins the buildings are situated along the path of a former urban drainage corridor, expressing the arroyo in a more natural form.
- The landscape design uses Sonoran Desert plant materials, and implements passive water harvesting techniques. Drought tolerant Sonoran desert scrub species are used in the planting areas at the building perimeter and along the Sixth Street corridor, and meso-riparian species are used in the shaded courtyards.

 The courtyards include comfortable outdoor seating and amenities such as grills and benches, making them desirable spaces to relax and gather.

SUMMARY DESIGN FEATURES:

- Numerous passive water harvesting techniques were implemented. Traditional practices such as micro-basins, swales, checkdams, and recessed grading were employed.

 Given the deep rooting characteristic of mesoriparian tree species, a Deep Water Distribution System (DWDS) for distributing harvested stormwater to sub-surface soil depths was devised in collaboration with Stantec Civil Engineers. The Deep Water Distribution System is a buried, sloped manifolded system comprised of 4" – 6" solid and perforated PVC piping which distributes stormwater to a soil depth of 3+ feet. Clean outs and elbow sweeps were included for
- To improve water delivery effectiveness and reduce water consumption, separate valves for the meso-riparian tree species were installed.
 Soil moisture sensors were installed at depths of 8 and 24 inches and linked to the irrigation controller prevent both under and over-watering.

PHOTOS- Arbol de la Vida on Tyndall



PHOTOS- Likins on Highland









PROJECT TYPE: INSTITUTIONAL

- Education College
- New



PROJECT NAME: UOFA RESIDENCE HALLS



PROJECT NAME: U of A VISITOR CENTER

PROJECT TYPE: INSTITUTIONAL ■ Educational College ■ Retrofit

	LOCATION	811 N. Euclid Avenue, Tucson AZ 85721
	ACRES	32,158 sf 0.74 acre
DATA	CLIENT	University of Arizona
	CONTACT	Grant McCormick, PDC, grantmc@email.arizona.edu Heather Lukatch, Visitor Center, 520-621-5130
	DESIGNED BY	UA Planning, Design and Construction, in collaboration with students, faculty, staff, and West University Neighborhood representatives
	COMPLETED	Fall 2007

REGULATORY: The project design was guided by the University's Design Specification Standards manual (DSS) provisions for surface water and was intended to serve as an illustration of a best practice installation designed in accordance with the DSS. The project was subject to City/Neighborhood historic review and West University Neighborhood review.

STAKEHOLDERS: ► Primary stakeholder: UA Visitor's Center. ■ Goals: Improve the site's landscape for Center employees and visitors. ■ Create a demonstration of sustainable landscape. Prior to the project there was a sparsely planted gravel landscape that was a relic of a prior water-intensive Mediterranean-style commercial landscape. ► West University Neighborhood representatives. ■ Goals: Create a forum to educate the community about water harvesting. ■ Include the possibility to sustain higher water-use crops such as citrus, due to the savings from remaining plants.

PROJECT RECOGNITION: No LEED points sought. Recognition received through dedication ceremony and the site is a frequent stop on campus tours as well as tours for sustainability/water harvesting conferences.

PERFORMANCE MEASURES: ■ Historic review affirmed appropriateness of the design. ■ Almost all rain from most events is retained, mitigating runoff from the existing parking. ■ A good example of minimizing and disconnecting paved surfaces to provide greater infiltration. ■ A good example of passive irrigation catchments and flow paths keyed to the eventual spread of the mature landscape. ■ Goal to remove native plants from drip irrigation is progressing.


Tucson, AZ





LID/ GI DEVELOPMENT

Low Impact/ Green Infrastructure



LOCATION MAP

LESSONS LEARNED

SOMETHING TO BE PROUD OF:

Natural/ecological characteristics of the site have been enhanced.

Edible fruit tree (Lemon) included in project to demonstrate use of harvested cistern water in supporting edible landscape. Project users have been pleased with the result, both as a work environment and as a demonstration/education site. The collaboration of students, faculty, and staff in made this project feasible. The project continues to serve as a demonstration for visitors as well as for the design of subsequent campus projects.

SOMETHING TO BE DONE DIFFERENTLY:

■ Much of the passive water harvesting (basin excavation, landforming, surfacing) and planting was completed by student labor. Implementing a project of this scope using student labor is challenging. Subsequent student projects have been more modest in scope. ■ It may have been helpful to provide a specific maintenance plan and schedule to help clarify planting goals for future maintenance staff as well as to help in transitioning from drip irrigation to only harvested water.

ESTIMATED \$25,000 - \$30,00 COST FUNDING Funding provided by the UA Visitor's Center. Some funding of student labor was provided via SOURCE grant from the UA WRRC (Water Resources Research Center DESIGN COST: Cost absorbed in staff salaries. CONSTRUCTION COST: Construction was completed by UA FM shops/staff, PDC staff, the UA Arboretum. student employees, and a number of related volunteers. Portions of this work were paid for while some was ACTUAL COST volunteered and/or absorbed in staff salaries. Most of the project cost shown above was for materials, fabrication of gutters and cistern lids, purchase of plants, etc. **COST** VOLUNTEER TIME: Actual volunteer hours were not specifically tracked although the project success depende on volunteer efforts. MAINTENANCE Maintained by UA Facilities Management Grounds Service COMPARE TO These costs were not estimated CONVENTIONAL

FINISHED PROJECT DESCRIPTION: ■ Existing landscape was renovated using native plants and water harvesting, including addition of two cisterns. ■ Project designed Spring 2007 and installed summer/fall 2007. ■ Drip irrigation was provided to allow native plants to become esablished. Eventually they will be weaned from irrigation. ■ The citrus will remain on irrigation which will be used during harshest months in case rainfall or stored catchment is not adequate.

SUMMARY

DESIGN FEATURES: ■ Roof gutters and corrugated metal cisterns. ■ Electronic valve actuated gravity flow irrigation system for cistern water. ■ From the cistern, the water is delivered to planting terraces via bubblers. ■ Recessed water harvesting basins were designed in response to a number of site conditions. ■ Native landscape plants were selected due to their character to use harvested water as passive irrigation.

PHOTOS

GOALS









TIME TO BUILD









PROJECT TYPE: INSTITUTIONAL

- Educational College
- Retrofit



PROJECT NAME:

U OF A VISITOR CENTER



PROJECT NAME: NATURE CONSERVANCY

PROJECT TYPE: ■ Non-Profit ■ Retrofit

LOCATION

ACRES

CLIENT

CONTACT

DESIGNED BY

COMPLETED








LID / GI DEVELOPMENT

Low Impact / Green Infrastructure



LOCATION MAP

LESSONS LEARNED

SOMETHING TO BE PROUD OF:

■ The rainwater harvesting project helps to promote appropriate rainwater harvesting and demonstrate beneficial effects of designing with nature, while it also contributes to reducing potable water use and soil erosion. ■ The Nature Conservancy sees the grounds as a community asset where one can learn about sustainability and common sense approaches to sustainable design and practices.

SOMETHING TO BE DONE DIFFERENTLY:

	ESTIMATED COST	Donation
	FUNDING SOURCE	Donation
COST	ACTUAL COST	DESIGN COST: CONSTRUCTION COST:
	MAINTENANCE	Volunteer
	COMPARE TO CONVENTIONAL	NA
	TIME TO BUILD	NA

REGULATORY: City of Tucson

STAKEHOLDERS: Tucson Nature Conservancy and its partner

GOALS

DATA

PROJECT RECOGNITION: None was sought.

PERFORMANCE MEASURES: The Tucson Nature Conservancy has a long history of sustainable practices that have been used to demonstrate sustainable landscaping, vegetated swales and rainwater harvesting. The updated system is expected to save 60-70,000 gallons per year with updated drip irrigation system and expanded cistern.

SUMMARY the visiting public on rainwater harvesting storage and treatment methods.

DESIGN FEATURES: ■ The new underground cistern was constructed on-site out of 85% recycled polypropylene crates (Atlantis Underground Tank System from Wahaso). Rainwater is collected from both the building rooftop and off the solar car shade surfaces.

A dual filtration step with U.V. sanitation filters the water to 5 microns and essentially sterilizes the water exiting to the irrigation system to minimize any risk to public health.

The long dry season required a system that could store the water for months without the risk of it going anaerobic with the associated issues of bad odors and color

FINISHED PROJECT DESCRIPTION: ■ The Tucson Nature Conservancy has a long history of sustainable practices

that demonstrate sustainable landscaping, water harvesting and solar power.

The site includes both active and

berms and permeable paving. ■ In 2012, an underground cistern (30,000 gallons capacity) was added to the project

site, because the existing above-grade cistern (3,800 gallons capacity) was not large enough to store the rainwater

needed for irrigation, and there was no room on the property for a larger tank.

The updated system's passive

water quality management uses natural thermal and capillary action to keep water in the cistern moving with a

circulation pump, and a natural bio-film on the plates and in the sand layer improves the quality of the water in storage. ■ The system is expected to save 60-70,000 gallons per year while providing a demonstration project to

passive rainwater harvesting techniques: three above-ground cisterns, vegetated swales, basins, curb cuts, dirt

PHOTOS



New photos coming Spring 2014



1510 E. Ft. Lowell Road

Tucson Nature Conservance

Water Harvesting Solution

Water Harvesting Solutions

2009 with upgrades through 2012

Hinsdale, IL 60521

304 South Lincoln St., Suite 100

2.29 acr



PROJECT TYPE:

INSTITUTIONAL

■ Non-Profit

■ Retrofit



PROJECT NAME:

TUCSON NATURE CONSERVANCY

PHOTOS







PROJECT NAME: TMC EAST CAMPUS

LOCATION

Tucson, AZ

COST

SUMMARY

5301 E. Grant Road, Tucson, Arizona 85712

PROJECT TYPE: INSTITUTIONAL ■ Medical Campus ■ Retrofit



TMC

ESTIMATED

COST

FUNDING

SOURCE

ACTUAL COST

MAINTENANCE

COMPARE TO

CONVENTIONAL

TIME TO BUILD

to support the adjacent landscaping.



Project scope changed monthly- no initial estimate requested.

FINISHED PROJECT DESCRIPTION: ■ The civil and landscape improvements provide a fresh face to the TMC east

campus which had not been upgraded for some time. Since many of the shrubs were overgrown, creating hiding

allowed access from Craycroft Road. ■ A 10' multi-use path was created along the Alamo Wash and has become

runoff was directed to the concrete lined Alamo Wash. The landscape design provides numerous opportunities for

water harvesting swales not only functions to slow the water so plants can access it more easily, but it provides an

spaces, each area was evaluated to determine whether pruning or removal was required.

A new bridge

a well traveled route by visitors and employees of the hospital, as well as local neighbors.

Previously, all

the stormwater to be slowed and allowed to infiltrate into the ground.

The large angular rock used in the

DESIGN FEATURES: Required parking lot landscaping was provided in linear medians located at the head-

end of the parking rows. All medians have flush curbs allowing surface runoff access to landscape areas, plus a

raised curb on the opposing side to delay the rainfall and allow greater infiltration.

The corner of Craycroft

creation of a winding swale, lined with angular rock allows slowing of the stormwater flow and optimal infiltration

and Grant was designed without structures to provide a view corridor to the Santa Catalina Mountains. The

aesthetic textural relief in contrast to the smoother asphalt and decomposed granite surfaces nearby.

DESIGN COST: \$154,451 (Landscape)

TMC Grounds Maintenance

Not evaluated

18 months

CONSTRUCTION COST: 12.5 M (All project)





LID/ GI DEVELOPMENT

Low Impact/ Green Infrastructure



SOMETHING TO BE DONE DIFFERENTLY:



■ Medical Campus

PROJECT NAME:

■ Retrofit





called and offered a large saguaro from the adjacent roadway widening TMC accepted the saguaro and it was carefully integrated into the early very positive on the project: the Civil Engineer at RBF worked closely with teamwork allowed the functional and aesthetic sides of the project's Borderland Construction, also was diligent to clarify design issues rather than make assumptions that could alter the integrity of the design.

Although it was out of the question at the time of the project, the ultimate




LESSONS LEARNED

SOMETHING TO BE PROUD OF: ■ Early in the project, COT DOT project that would have to be destroyed because it was too large to move. design so no impacts would occur during construction. ■ Teamwork was the Landscape Architect at KHA, to provide effective water harvesting throughout the parking and perimeter landscaping. This coordination and drainage/ water harvesting system to be fully blended. The contractor,

acheivement would have been to naturalize the Alamo Wash from its concrete-lined channel back to the earthen channel as found on the upstream and downstream ends.





The surrounding neighbors wanted minimal visual impact to their communities. The low profile of the view corridor and perimeter parking complied with this goal. ■ They also requested a pathway along the Alamo

Wash to provide continuity to the paths both up and down stream of the campus. Less than a mile to the north, the Alamo Wash reaches the Rillito Riverpark and The Loop path system which, when completed in the near future, will circumvent the entire city.

PROJECT RECOGNITION: 2011 Engineering News Record Southwest Best Healthcare Project Award of Merit

PERFORMANCE MEASURES:

Not determined.

PHOTOS

GOALS


















PROJECT NAME: FORENSIC CRIME LABORATORY -Tucson Police Department

PROJECT TYPE: INSTITUTIONAL ■ Municipal Facility ■ New

August, 201







LID/ GI DEVELOPMENT

Low Impact/ Green Infrastructure



LOCATION MAP

LESSONS LEARNED

SOMETHING TO BE PROUD OF:

The unique approach of requiring the Crime Lab site to use no potable water for landscaping plus providing sufficient non-potable/ harvested water for the adjacent Police Substation landscaping resulted in receipt of the 2012 Merit Award Winner for "Best Of" Government/Public Buildings.in Arizona/Nevada/New Mexico - ENR-Southwest Contractor.

SOMETHING TO BE DONE DIFFERENTLY:

The biggest challenge that the project has faced post-construction is the quality of the water that is originating from the rainwater harvesting tanks. Recent analysis has shown excessive amounts of sodium which is negatively impacting the plants. The high sodium content is likely due to the addition of water draining from the cooling tower blowdown or the Reverse Osmosis Reject water. Efforts are underway to improve water quality by preventing water from these sources from entering the tanks.



1306 W. Miracle Mile, Tucson, Arizona 85705 LOCATION corner Miracle Mile and Flowing Wells Roa ACRES Building - 62,377 SF Site - ~8.6 acre City of Tucso CLIENT Joe Loranger, Project Coordinate **DATA** CONTACT Michael Becherer RA mbecherer@wsmarch.cor WSM - Architect **DESIGNED BY** DOWL HKM - Engineering Kimley-Horn - Landscape Architectur

> REGULATORY: ■ Design had to blend with the adjacent Westside Police Substation. ■ Compliance with City of Tucson Development Standards was required, including the addition of landscape borders and compliance with the Native Plant Preservation Ordinance. • While the City's Commercial Rainwater Harvesting Ordinance had not yet taken effect, this project was asked to comply as closely as possible to serve as a model for future municipal construction projects.

> STAKEHOLDERS: ■ All irrigation for the project must come from on-site sources, including rainfall captured from the roof, HVAC condensate (which minimizes waste and recovers energy), backwash from a large scale reverse osmosis system, and graywater from fixture waste.
>
> This harvested water is stored in a series of underground tanks. ■ Must allow adjacent Tucon Police substation to use excess harvested water. ■ A weather station will be incorporated into the irrigation controller so that the system can effectively monitor the precise amount of irrigation that is required based on the local weather conditions and on the needs of the plants.

PROJECT RECOGNITION: 2012 Merit Award Winner for "Best Of" Government/Public Buildings in Arizona/Nevada/New Mexico - ENR-Southwest Contractor

PERFORMANCE MEASURES: For the first two years, a spreadsheet will be generated to show expected inflows and outflows on a weekly basis.

Total water use for the baseline case was determined to be 1,150,729 gallons. ■ After evaluating the irrigation efficiencies for each area, the total water use for the design case was determined to be 218,925 gallons. This figure results in an 81% water savings when compared to the baseline

ESTIMATED \$ 20 Million COST FUNDING Public SOURCE DESIGN COST: \$45,000 (Landscape) **ACTUAL COST** CONSTRUCTION COST: \$23M (Total) **COST** MAINTENANCE City of Tucson COMPARE TO Not evaluated CONVENTIONAL TIME TO BUILD 18 months

Tucson, AZ

FINISHED PROJECT DESCRIPTION: • The project was designed with a high-tech drip irrigation system including a state-of-the-art weather monitoring equipment that adjusts irrigation based on localized weather data. This system will assure establishment of the low water-use drought tolerant plants selected from the Arizona Department of Water Resources plant list. • Most likely, within three years, on-site plants will be independent of potable water. ■ Water collected from the Crime Lab site and used for the on-site vegetation will also be shared with the adjacent Tucson Police Substation. • When collected levels are below anticipated, the available water will be shared per an agreed upon schedule.
Condensate and water from other building systems are being drained into the tanks in addition to harvested stormwater.

SUMMARY

DESIGN FEATURES: ■ The expectation is to collect about 1.1 million gallons of non-potable water each year and store it in (2) 40,000 gallon underground tanks.

A baseline design scenerio using typical plant materials projected the water demand to be 1,150,729 gallons per year.

The actual design, using low-water plant materials and zoning higher water use exclusively in high visitbility/ high-use areas, and selecting low to no water-use plants to the fringe of the site reduced the projected water demand to 218,925 gallons per year. ■ The adjacent existing Tucson Police Substation currently uses 260,000 gallons of potable water for irrigation every year. ■ The goal is neither site will use any potable water for landscape vegetation.

PHOTOS - Before

GOALS

COMPLETED









INSTITUTIONAL

PHOTOS -After







■ Municipal Facility ■ New

PROJECT NAME: FORENSIC **CRIME LABORATORY**

PROJECT TYPE:

Tucson Police Department



PROJECT NAME: WATER & ENERGY SUSTAINABILITY CENTER, aka ROMP LAB

3035 W El Camino del Cerro, Tucson, AZ 8574

Pima County Regional Wastewater Reclamation Departme

email: Adam.Bliven@wwm.pima.gov: phone: 520-690-2745

Stantec Consulting Services - Civil Enginee

Pattison Evanoff Engineering - Geotec

Adam Bliven, Pima County Regional Wastewater Reclamation Departmen

Wheat Scharf Associates - Planting, Hardscape and Water Harvesting desig

PROJECT TYPE: ■ INSTITUTIONAL ■ Municipal Facility ■ New

LOCATION

ACRES

CLIENT

CONTACT

DESIGNED BY

COMPLETED

■ Goal : LEED Certification.

Tucson, AZ





LID/ GI DEVELOPMENT

Low Impact/ Green Infrastructure



LOCATION MAP

LESSONS LEARNED

SOMETHING TO BE PROUD OF:

- An existing site, devoid of vegetation, has been transformed into a showcase of sustainability.

 The landscape has been embraced by the staff - soon after the landscape was installed, WSA was asked to create a brochure detailing plant material and water harvesting features in order to assist staff when giving tours to the public.
- Supported by extensive water harvesting, the landscape is primed to endure and inspire for many years.

SOMETHING TO BE DONE DIFFERENTLY:

■ Setting the correct height of the leveling pipe and overflow outlet drains (used to provide overflow from a basin and prevent flooding) can be challenging. ■ Early coordination with the Civil Engineer is suggested.

WHEAT SCHARF PATTISON > EVANOFF DESIGN COST: \$123,000 Irrigation; \$137,000 Pathways \$50K Gabion; \$63K Site furnishings \$46K CONSTRUCTION COST: \$28,870,000.

COST

MAINTENANCE Public - Pima County

N/A

28 million

Public - Pima County

Riprap; \$75K Plantings

COMPARE TO CONVENTIONAL

ESTIMATED

COST FUNDING

SOURCE

ACTUAL COST

11 A

HDR- Archite

TIME TO BUILD 12 months

FINISHED PROJECT DESCRIPTION: Part of Pima County's Regional Wastewater Reclamation complex, this project's charge included demonstrating and showcasing County sustainability goals including water harvesting and

■ WSA developed the overall landscape concept with pedestrian circulation and interpretive trails including interface with The Loop, and incorporating passive water harvesting ■ Techniques and features include microbasins, gabion weirs, curb cuts, and swales with check dams.
Fine grading directs site and parking stormwater runoff to recessed planting areas.

Secondary stabilized DG pathways are raised above landcape areas. 👚 Roof drains direct storm water through a water feature into a sequence of planted water harvesting basins linked by weirs.

Sonoran Desert plant species, including a diverse collection of cacti, showcase the beauty of native, low-water usage plants.

SUMMARY

DESIGN FEATURES: Water harvesting techniques include microbasins, weirs using rock-filled gabions, curb cuts, and swales with check dams.

Water is collected from the roof and directed to a rain-event water feature and site runoff is directed through the weirs to recessed planting areas.

The trees and shrubs selected are primarily arid adapted, desert plant species. Mesquite and Palo Verde figure prominently in the planting design and are keystone Sonoran Desert native plants.

A large detention basin features native species like Net-leaf Hackberry and Arizona Walnut that are adapted to periodic inundation.

All supplemental water used for landscape irrigation is reclaimed.
Pervious pavement allows additional water capacity on-site.

GOALS

DATA

PERFORMANCE MEASURES: LEED Certification: Reduce potable water consumption for irrigation by 50% from a calculated mid-summer baseline case (LEED for New Construction)

REGULATORY: Pima County Regulations as well as City of Tucson regulatory requirements for a critical facility

STAKEHOLDERS: ▶ Pima County Regional Wastewater Reclamation Department.

PROJECT RECOGNITION: Registered with USGBC; nominated for Common Ground award

PHOTOS







PROJECT TYPE: INSTITUTIONAL

Municipal Facility

■ New



PROJECT NAME: ROMP LAB

Water & Energy Sustainability Center



PHOTOS





RECREATION LINEAR PARK NEIGHBORHOOD PARK REGIONAL PARK BASIN

RECREATION
NEW Linear Park
RETRO Linear Park
NETRO Ellical Fark
NEW Neighborhood Park
RETRO Neighborhood Park
Blue Moon Community Garden- Tucson House* (Residential)
Highland Vista
NEW Regional Park
RETRO Regional Park
NEW Basin
RETRO Basin
Kolb Road Basin

^{*}Cross category

Under consideration: Broadmoor Pocket Park

Centenniel Park

Julian Wash River Park- Kolb to Rita Ranch KERP (Kino Environmental Restoration Park)

Manuel Herrera Park Paseo de las Iglesias Star Valley Dog Park

Tohono Chul Sin Agua Garden Tucson Botanical Garden

PROJECT NAME: BLUE MOON COMMUNITY GARDEN (Tucson House)

1501 North Oracle Roa

TUCSON HOUSING ANI

TUCSON, ARIZONA 8572

GINA CHOROVE

5/30/201

COMMUNITY DEVELOPMENT

301 N. COMMERCE PARK LOO

(520) 837-6946 Gina. Chorover@tucsonaz.go

418 N. Toole Ave Tucson, AZ 85701 (520) 622-956

1 Acre +/

Tucson, AZ

Cross Category: Residential- Multi-Dwelling

ESTIMATED

COST

FUNDING

SOURCE

ACTUAL COST

TIME TO BUILD



LID / GI DEVELOPMENT Low Impact / Green Infrastructure



LOCATION MAP

LESSONS LEARNED

SOMETHING TO BE PROUD OF: • The garden was selected as a Tucson Water Demonstration Garden and received AZ ASLA Honor Award for General Design 2013.

The garden is at capacity and provides an inexpensive food source for a neighborhood that has been described as located in a food desert.

Through post design assessments we determined the garden has become a gathering place for the Tucson House residents and neighbors
This project has been designed with metering devices to become a study site with the potential to determine everything from the cost of a harvested gallon of water to the toxicity levels of fruit harvested from the citrus grove.

SOMETHING TO BE DONE DIFFERENTLY: • The raised still garden beds which provide accessibility to people in wheelchairs created a drainage ssue with the method of construction and the amount of over-watering by it users.

The center should be wider to provide more drain rock between the CMU cells and or vertical gravel sumps should be installed in future beds of this kind.

Multi-Dwelling NORRIS DESIGN		
\$288,000.00		
CCBG Grant, Tucson Water Grant, HCD Grant, CPPW Funds		
DESIGN COST: \$28,000.00 CONSTRUCTION COST: \$307,000.00		
Community Gardens of Tucson	ا	
C-+ i	danasta linea materialistica and	

Community Gardens of Tucson

COST MAINTENANCE COMPARE TO Cost increases were a result of the addition of tapping the condensate lines, meter devices and CONVENTIONAL the interpretive signage for the rainwater harvesting system.

REGULATORY: City of Tucson

STAKEHOLDERS:

LOCATION

ACRES

CLIENT

CONTACT

DESIGNED BY

COMPLETED

- ▶ Tucson House, a high rise development which is home to over 600 low-income, disabled, elderly residents and adjacent neighbors.
- ► Community Gardens of Tucson

GOALS

DATA

PROJECT RECOGNITION: AZ ASLA Honor Award for General Design 2013

PROJECT TYPE: RECREATION ■ Neighborhood Park ■ Retrofit

PERFORMANCE MEASURES: ■ ADA Accessibility. ■ Passive and active rainwater harvesting from 1/4 of the Tucson House roof and condensate from HVAC. ■ Reuse existing fire suppression 15,000 gal water tank. ■ Pump harvest water to second on-site cistern.

Metering devices for both potable and harvested rainwater, and power.

Tucson Water Demonstration Garden., Community Gardens of Tucson design and equipment standards.

SUMMARY

DESIGN FEATURES: ■ Reclaimed approximately 1 acre of existing parking lot. ■ Reused existing 15,000 gal water tank. Added a second cistern and pump with brain boxes to irrigate with harvested rainwater. Installer meters for potable and reclaimed water and the power used on-site.

Installed soil moisture sensing devices and controller which automatically adjusts water time using on-site soil moisture as a basis.

Tied into HVAC condensate line which is also metered.

Through a charrette process designed garden beds of varying heights and styles to accommodate a variety of disabilities.

Provided lockers for garden users and a compost station.

FINISHED PROJECT DESCRIPTION: • The Blue Moon Community Garden is the first fully-accessible community

promenade, gathering areas with a shade ramada, barrier free design, and a loop trail with connectivity to the

garden in Tucson. ■ The 42,500 square foot site includes 36 garden beds, a citrus grove, butterfly garden, a central

Tucson House. ■ The landscape architect developed interpretive signage to educate residents and visitors about

15,000 gallon rainwater harvesting tank captures rainwater and A/C condensate from a 17- story building, providing

the garden and the active water harvesting system that provides irrigation to the garden beds. 🔳 In addition, a

water for the landscape plants and fruit trees.

The garden was selected as a Tucson Water Demonstration

PHOTOS - Before















RECREATION PROJECT TYPE:

- Neighborhood Park
- Retrofit

Cross Category: Residential



PROJECT NAME: BLUE MOON **COMMUNITY GARDEN** (Tucson House)



PROJECT NAME: HIGHLAND VISTA

LOCATION

ACRES

CLIENT

CONTACT

DESIGNED BY

COMPLETED

PROJECT TYPE: RECREATION ■ Neighborhood Park ■ Retrofit

Tucson, AZ





LID / GI DEVELOPMENT Low Impact / Green Infrastructure



LOCATION MAP


LESSONS LEARNED

SOMETHING TO BE PROUD OF:

Transformation of a former City of Tucson Department of
Transportation storage facility ■ Increased wildlife habitat ■
Community loves it ■ Many water harvesting design elements in a small space ■ Nice signage ■ Artistic use of rock (white rock reflects path of water and brown rock are the check dams) ■ Neighborhood kids enjoy hiking along the different rock paths

SOMETHING TO BE DONE DIFFERENTLY:

Add more seating under shade trees; include a variety of seating opportunities (in shady spots, open areas, elevated, quiet for bird watching). Subtle grade changes are hard for contractors who are inexperienced with water harvesting to embrace. These subtleties must be emphasized or re-work will be required. Older neighborhoods conribute a lot of noxious weed seed during rain events. Growth of invasive Bermuda grass and palm tree seed has been an on-going



FINISHED PROJECT DESCRIPTION: The project is a riparian restoration for an area in the south portion of 20/30 Park bordered by Arcadia Wash to the south and an existing walking path to the north. Additional paths increase the site's recreational value. The design includes a system of passive water harvesting basins and plantings to mitigate issues with storm water flow in the area.

SUMMARY

DESIGN FEATURES: 'Boomerang Berms' for water harvesting ■ Micro-catchment basins for catching water in shallow depressions ■ Infiltration Basins with Check Dams for catching off-site runoff and infiltrating it ■ Preservation of existing vegetation ■ Walking path ■ Educational display ■ Native plant pallet. ■ Inclusion of Brad Lancaster, author of Rainwater Harvesting for Drylands and Beyond, for design review gave additional insight to the solution.

REGULATORY: Community Initiative, no regulatory requirement

STAKEHOLDERS: (Neighborhood): Develop a passive recreation park ■ Use water harvesting techniques to mitigate storm water flow in the residential neighborhood ■ Transform a problematic stormwater drainage situation into an aesthetic improvement ■ Create a Natural Area Enhancement ■ Education ■ Preservation of natural corridors ■ Habitat restoration ■ Recreation ■ Eliminate ponding water and associated mosquito habitat ■ Reduce pollutants flowing into washes ■ Reduce erosion, runoff and sedimentation

5300 E Seventh Street. Nearby the 20/30 Club

1.16 Acres (50,700 sft

Wheat Scharf Associate

City of Tucson Parks and Recreation

Joe O'Neill joe.o'neill@tucsonaz.gov 837-8035

GOALS

DATA

PROJECT RECOGNITION: Project did not seek LEED designation.

PERFORMANCE MEASURES: Constructed per plans and specifications. Stakeholder goals met. Greater infiltration has reduced mosquito habitat and runoff.

PHOTOS - Progression











PHOTOS - After











PROJECT TYPE: RECREATION

- Neighborhood Park
- Retrofit



PROJECT NAME:
HIGHLAND VISTA



PROJECT NAME: KOLB DETENTION BASIN RETROFIT

PROJECT TYPE: RECREATION ■ Detention Basin ■ Retrofit ■ Riparian Habitat Restoration / Mitigation

16 acre

7700 S Kolb Road, East side, South of Julian Was

Pima County and Granite Construction Compar

Novak Environmental, Inc. with input from

UA Landscape Architecture Student Matthew Bossle

Novak Environmental, Inc.

520-206-0591, Karen Cesare

January, 201





LID / GI DEVELOPMENT Low Impact / Green Infrastructure



LOCATION MAP

LESSONS LEARNED

SOMETHING TO BE PROUD OF:

■ This project was a cooperative effort between government and private industry that also included a thesis project for a Master's student at the University of Arizona.

Mitigation for one site 's impacts on riparian habitat was allowed to be provided off-site.

• Through this effort, Pima County Regional Flood Control District received a list of plants that can withstand varying amounts of inundation.

SOMETHING TO BE DONE DIFFERENTLY:

- The temporary irrigation lines should be installed deeper to minimize the damage by wildlife chewing the tubing.
- There is some ponding behind the berms and it is unclear whether this will become a long-term problem.



Tucson, AZ

REGULATORY: Riparian mitigation for land disturbed by Granite Construction at another site.

STAKEHOLDERS:

LOCATION

ACRES

CLIENT

CONTACT

DESIGNED BY

COMPLETED

▶ Pima County Flood Control District is the owner and primary stakeholder. ■ The District wanted to minimize long-term operations and maintenance commitment by implementing a plan that conserved water, and preserved the existing natural corridor while also enhancing natural areas while limiting the spread of

GOALS

SECTION

DATA

PROJECT RECOGNITION: No specific project recognition and no LEED points sought.

2. COLLECTS IN

BASINS

PERFORMANCE MEASURES: ■ The project was completed in January 2012, so it is too early to determine its long-term success. ■ The innovative mid-slope bench water harvest basin is functioning as designed and young revegetative plantings are becoming established.


FINISHED PROJECT DESCRIPTION: ■ The Kolb Basin Riparian Habitat Mitigation Project is located near I-10 and Kolb Road, between the Julian Wash Greenway multi-use path and the University of Arizona Science and Technology Park. ■ The project is a public/private partnership between Pima County Regional Flood Control District and Granite Construction Company with the goal of compensating for impacts to riparian habitat at Granite's nearby sand and gravel facility. ■ Granite and their consultant, Novak Environmental, Inc. worked wit University of Arizona Landscape Architecture Masters student, Matthew Bossler, to design an off-site riparian habitat mitigation project that used stormwater runoff to enhance and establish riparian vegetation within the Kolb Road Detention Basin.

SUMMARY

DESIGN FEATURES: ■ Approximately 16 acre project site. ■ 6" deep water harvest basins to capture stormwate entering the site from the Julian Wash and small upstream watersheds.
Constructed basins provide about 7 acre feet of stormwater storage.

Constructed basins were placed within sparsely vegetated areas containing native and non-native invasive plant species (buffelgrass, Johnsongrass, African lovegrass, desert broom). "Planting bench" was constructed to control erosion by collecting stormwater along basin sideslopes and establishing vegetation there. ■ The vegetation planted included 1,329 tall pot plants and about 14 acres of hydroseed. ■ Buffelgrass was removed from areas of existing vegetation to remain. ■ A temporary irrigation system was installed to establish the plantings (approx. 2-3 years)

SCALE: 1" =



24' (APPROX.)

WATER HARVESTING

BASIN; MAX. DEPTH



PROJECT TYPE: RECREATION

- Riparian Habitat Restoration/Mitigation
- Detention Basin
- Retrofit

PROJECT NAME:

KOLB DETENTION BASIN RETROFIT





RESIDENTIAL SINGLE FAMILY MULTI-DWELLING SUBDIVISION MASTER PLANNED COMMUNITY

RESIDENTIAL
NEW Single Family
RETRO Single Family
Brad Lancaster Residence
NEW Multi-dwelling
RETRO Multi-dwelling
Blue Moon Community Garden- Tucson House* (Recreation)
NEW Subdivision
RETRO Subdivision
NEW Master Planned Community
RETRO Master Planned Community

^{*}Cross category

Under consideration: Civano

Milagro

Simpson House Sonoran Co-Housing

Stone Curves

Willowridge Commons HOA

PROJECT NAME: LANCASTER RESIDENCE and RIGHT-OF-WAY

PROJECT TYPE: RESIDENTIAL ■ Single Family/Public Right-of-Way ■ Retrofit

	LOCATION	813 N. 9th Avenue, Tucson, AZ 85705
	ACRES	0.14 acre (1/8 acre)/ 5445 sf
DATA	CLIENT	Brad Lancaster
	CONTACT	Brad Lancaster, bradlank@gmail.com
	DESIGNED BY	Brad and Rodd Lancaster
	COMPLETED	Ongoing since 1994

	ESTIMATED COST	Water-harvesting earthworks:\$600, cisterns: \$5,000, Compost toilet: \$350, Greywater-harvesting system: \$400, Solar system: \$7,800, Retractable south-side awning: \$1,285
	FUNDING SOURCE	Private (home owners)
COST	ACTUAL COST	The vast majority of the design was installed by the home owners. An architect drew up the workshop expansion plans (\$2,033). A local designer designed the solar water heater (\$100).
	MAINTENANCE	Family member
	COMPARE TO CONVENTIONAL	More time was needed for planning and design than a conventional non-integrated plan due the need to think through and plan how the various elements of our plan could integrate with one another for maximum effectiveness
	TIME TO BUILD	All has been ongoing since 1994

LOCATION MAP

LID / GI DEVELOPMENT

Low Impact / Green Infrastructure

LESSONS LEARNED

₽Dunbar DUNBAR Springs

SOMETHING TO BE PROUD OF:

- This residence is a living demonstration garden and an inspiration to the Dunbar neighborhood, as well as the greater Tucson community.
- Every possible means to minimize the human impact on and provide support to the local environment has been investigated and implemented when possible. Improvement to water haresting strategies are continually
- These principals are clearly illustrated in Rainwater Harvesting for Drylands and Beyond, Volumes 1 and 2 by Brad Lancaster.
- Websites: www.HarvestingRainwater.com
 - www.DesertHarvesters.org

SOMETHING TO BE DONE DIFFERENTLY:

Design and install a greater capacity for the water-harvesting earthworks. Plant higher-water-use fruit trees only after the greywater-harvesting system was installed, and use greywater as the sole source for those fruit trees. Before choosing vegetation, estimate the site's water income (rainfall, runon, and greywater). Then plant a landscape with water demand that could be met solely by that on-site income.

REGULATORY: City of Tucson

STAKEHOLDERS: ▶ Brad, Rodd, Chi, and Vaughan Lancaster ▶ Dunbar/Spring neighbors.

Key Objectives: ■ 1 Mitigate Urban Heat Island effect. ■ 2 Eliminate all use of virgin potable water for landscape. ■ 3 Live solely with renewable power generated on-site.

PROJECT RECOGNITION: First Place - Homeowner Landscape under \$10,000, Best Water Harvesting, and the J.D. DiMeglio Artistry in Landscaping awards in the 2005 Arizona Department of Water Resources/Tohono Chul Park Xeriscape Contest

GOALS

PERFORMANCE MEASURES: ▶1 Summer temperatures in shaded areas along right-of-way are reduced 10° from those of pre- development ▶ 2 All native plantings along public right-of-way and on the property are irrigated solely with passively harvested rainwater and street runoff.

Six exotic fruit trees are irrigated primarily with on-site rainwater and greywater (95% in year of normal rainfall, 75% in dry years). ■ Vegetable garden is irrigated primarily with on-site rainwater collected in cisterns (95% in year of normal rainfall, 80% in dry years). ■ Total cistern volume is 5,000 gallons. ■ Over 95,000 gallons of rainfall per year of normal rainfall is harvested on our 1/8th-acre site and adjoining public right-of-way. ■ 100% of the household's greywater is recycled within the landscape. > 3 Currently the grid-tied rooftop 3.1 KW solar PV system produces 3 times as much energy as the household uses. The surplus goes directly to neighbors' homes during the day. At night, power is currently drawn from the grid.

All the hot water comes from a passive solar batch heater.

structures, gardens, and walkways ■ Gravity-fed greywater systems ■ On-site recycling of on-site green "waste"; composting toilet ■ Small livestock (chickens); annual and perennial food production ■ Waterharvesting traffic-calming ■ Street trees irrigated by street runoff captured with curb cuts. ■ The shade cast from cisterns (from which we get the rainwater to irrigate the garden) and tree west of garden shade and cool the garden at the hottest time of the day, resulting in up to a 50% reduction in irrigation needs for the garden. planting areas are sunken, and all pathways, accessways, and gathering areas are raised. This results in pathways becoming runoff water source for the plantings that grow (when trees) to shade those using the path. ■ Leafdrop mulch also migrates via gravity from the bath to the vegetated basins.

FINISHED PROJECT DESCRIPTION: A retrofit of a single-family home, yard, and surrounding public right-of-way


maximizing the harvest of free, high-quality, on-site resources in a way that reduces or eliminates the need to


DESIGN FEATURES: ■ Passive water-harvesting earthworks and rain gardens ■ Passive heating and cooling of


import costly, lower-quality, off-site resources, while enhancing the true health and wealth of its residents,

 Effective Strategy Begin with simple, low-cost to free, passive strategies working with natural systems/flows. Passive solar design principals immediately save energy and money (correct orientation/design of buildings and placement of shade trees to both maximize winter sun exposure and summer shade) . Simple mulched earthworks or rain gardens easily capture the water in the soil. These methods reduce the need for expensive tanks or drip irrigation systems.

PHOTOS Reprinted with permission from Rainwater Harvesting for Drylands and Beyond, Volumes 1 and 2 by Brad Lancaster, www.HarvestingRainwater.com








neighbors, and the larger ecosystem.

PHOTOS







PROJECT TYPE: RESIDENTIAL

- Single Family dwelling Public right-of-way
- Retrofit



PROJECT NAME:

LANCASTER RESIDENCE and RIGHT-OF-WAY









PROJECT NAME: BLUE MOON COMMUNITY GARDEN (Tucson House)

PROJECT TYPE: RESIDENTIAL ■ Multi-unit Dwelling ■ Retrofit

1501 North Oracle Roa

TUCSON HOUSING AND

TUCSON, ARIZONA 85726

GINA CHOROVE

5/30/2012

COMMUNITY DEVELOPMENT

301 N. COMMERCE PARK LOOP

(520) 837-6946 Gina. Chorover@tucsonaz.gov

418 N. Toole Ave Tucson, AZ 85701 (520) 622-956

1 Acre +/-





LID / GI DEVELOPMENT Low Impact / Green Infrastructure



LOCATION MAP

LESSONS LEARNED

SOMETHING TO BE PROUD OF: ■ The garden was selected as a Tucson Water Demonstration Garden and received AZ ASLA Honor Award for General Design 2013. ■ The garden is at capacity and provides an inexpensive food source for a neighborhood that has been described as located in a food desert. ■ Through post design assessments we determined the garden has become a gathering place for the Tucson House residents and neighbors. ■ This project has been designed with metering devices to become a study site with the potential to determine everything from the cost of a harvested gallon of water to the toxicity levels of fruit harvested from the citrus grove.

SOMETHING TO BE DONE DIFFERENTLY:• The raised still garden beds which provide accessibility to people in wheelchairs created a drainage issue with the method of construction and the amount of over-watering by it users.

• The center should be wider to provide more drain rock between the CMU cells and or vertical gravel sumps should be installed in future beds of this kind.

	ESTIMATED COST	\$288,000.00
	FUNDING SOURCE	CCBG Grant, Tucson Water Grant, HCD Grant, CPPW Funds
COST	ACTUAL COST	DESIGN COST: \$28,000.00 CONSTRUCTION COST: \$307,000.00
	MAINTENANCE	Community Gardens of Tucson
	COMPARE TO CONVENTIONAL	Cost increases were a result of the addition of tapping the condensate lines, meter devices and the interpretive signage for the rainwater harvesting system.

Tucson, AZ

FINISHED PROJECT DESCRIPTION: ■ The Blue Moon Community Garden is the first fully-accessible community garden in Tucson. ■ The 42,500 square foot site includes 36 garden beds, a citrus grove, butterfly garden, a central promenade, gathering areas with a shade ramada, barrier free design, and a loop trail with connectivity to the Tucson House. ■ The landscape architect developed interpretive signage to educate residents and visitors about the garden and the active water harvesting system that provides irrigation to the garden beds. ■ In addition, a

15,000 gallon rainwater harvesting tank captures rainwater and A/C condensate from a 17- story building, providing

water for the landscape plants and fruit trees.

• The garden was selected as a Tucson Water Demonstration Garden.

TIME TO BUILD

3 months

SUMMARY

DESIGN FEATURES: ■ Reclaimed approximately 1 acre of existing parking lot. ■ Reused existing 15,000 gal water tank. ■ Added a second cistern and pump with brain boxes to irrigate with harvested rainwater. ■ Installed meters for potable and reclaimed water and the power used on-site. ■ Installed soil moisture sensing devices and controller which automatically adjusts water time using on-site soil moisture as a basis. ■ Tied into HVAC condensate line which is also metered. ■ Through a charrette process designed garden beds of varying heights and styles to accommodate a variety of disabilities. ■ Provided lockers for garden users and a compost station.

REGULATORY: City of Tucson

STAKEHOLDERS:

LOCATION

ACRES

CLIENT

CONTACT

DESIGNED BY

COMPLETED

- ► Tucson House, a high rise development which is home to over 600 low-income, disabled, elderly residents and adjacent neighbors.
- ► Community Gardens of Tucson

GOALS

DATA

PROJECT RECOGNITION: AZ ASLA Honor Award for General Design 2013

PERFORMANCE MEASURES: ■ ADA Accessibility. ■ Passive and active rainwater harvesting from 1/4 of the Tucson House roof and condensate from HVAC. ■ Reuse existing fire suppression 15,000 gal water tank. ■ Pump harvest water to second on-site cistern. ■ Metering devices for both potable and harvested rainwater, and power. ■ Tucson Water Demonstration Garden., Community Gardens of Tucson design and equipment standards.

PHOTOS - Before















PROJECT TYPE: RESIDENTIAL

■ Multi-unit Dwelling

Retrofit



PROJECT NAME: BLUE MOON
COMMUNITY GARDEN
(Tucson House)



TRANSPORTATION LOCAL NEIGHBORHOOD COLLECTOR TERMINAL

TRANSPORTATION
NEW Local Neighborhood
RETRO Local Neighborhood
Cambio Grande
Rincon Heights_ 9 th and 10 th Avenues from Park to Campbell
Scott Avenue
U of A Lester
NEW Collector
RETRO Collector
NEW Terminal
RETRO Terminal

Under consideration: Camino Campestre

Craycroft Road- River Road to Sunrise

Fourth Avenue Bike Boulevard- Grant to Ft. Lowell Rd

Iron Horse Neighborhood Mountain Avenue Medians Rio Nuevo Grande Roundabout San Gabriel Median Park

PROJECT NAME: CAMBIO GRANDE STREETSCAPE ENHANCEMENT

PROJECT TYPE: TRANSPORTATION ■ Local Neighborhood ■ Retrofit

Tucson, AZ





LID / GI DEVELOPMENT

Low Impact / Green Infrastructure



LOCATION MAP

LESSONS LEARNED

SOMETHING TO BE PROUD OF:

Many of the shrubs and trees show considerable growth in just two years using only harvested water. Although the landscape was limited on the project due to the amount of utility conflicts, the vegetation has grown in quite well and creates a pleasant pedestrian experience along the sidewalk.

SOMETHING TO BE DONE DIFFERENTLY:

Initially the design plans included scuppers that directed drainage from the roadway into the planting areas. These were unfortunately eliminated due to budget constraints. Ideally, water from the roadway would have provided additional irrigation to the plant materials.

ESTIMATED \$500,000 to \$1,000,000 COST **FUNDING** ADOT Transportation Enhancement Grant and a Pima County Neighborhood Reinvestment Grant SOURCE **DESIGN COST -Landscape Architecture:** \$11,600 Phase 1 (DCR, 30% plans) ACTUAL COST \$23,200 Phase II design (construction documents, NPP, etc.) **COST** CONSTRUCTION COST: \$529,871.50 MAINTENANCE City of Tucson COMPARE TO Not evaluated CONVENTIONAL TIME TO BUILD 120 days of construction

REGULATORY: ■ City of Tucson Department of Transportation guidelines for non-irrigated landscaping

STAKEHOLDERS:

LOCATION

ACRES

CLIENT

CONTACT

DESIGNED BY

COMPLETED

- ► Barrio Hollywood Neighborhood
- ► Arizona School for Deaf and Blind (ASDB)

GOALS

DATA

PROJECT RECOGNITION:

2012 APWA (Arizona Public Works Assocation) Chapter Sustainability Award Winner

PERFORMANCE MEASURES:

Not determined

FINISHED PROJECT DESCRIPTION:

■ This enhancement changed a typical urban street into a more aesthetic and pedestrian environment. ■ There is no permanent landscape irrigation system.

Plants will be hand watering for duration of establishment period.
Planting areas are depressed by 6" to capture rainwater.

SUMMARY

DESIGN FEATURES: ■ Improvements include landscape nodes irrigated using water harvesting principals only. ■ ADA compliant sidewalk upgrades. Installation of pedestrian amenities (benches, drinking fountain, lighting, trash receptacles). ■ Public art. ■ Neighborhood gateway entry. ■ Electrical facilities.

PHOTOS





Grande Avenue-St. Mary's Rd to Speedway Blvd. (0.4 miles

City of Tucson Department of Transportation

City of Tucson DOT M.J. Dillard

Parson's Brinckerhoff Inc. - Enginee

Kimley-Horn (SAGE) - Landscape Architec

mj.dillard@tucsonaz.go

Project area ~33,905 s





PHOTOS








PROJECT TYPE: TRANSPORTATION

- Local Neighborhood
- Retrofit



CAMBIO GRANDE ENHANCEMENT





PROJECT NAME: RINCON HEIGHTS: 9TH and 10TH STREETS- CAMPBELL to PARK AVENUE

Tucson, AZ

PROJECT TYPE: TRANSPORTATION ■ Local Neighborhood ■ Retrofit

LOCAT	FION 9th Street from Park Avenue to Campbell Avenue, just south of the University of Arizona.
ACRI	ES (acreage or SF)
DATA	NT City of Tucson Department of Transportation (COT DOT)and Rincon Heights Neighborhood
CONTA	Gary Wittwer Gary.Wittwer@tucsonaz.gov
DESIGNI	ED BY EEC and COT DOT
COMPL	.ETED 2011

improves the quality of water going into High School Wash.

PROJECT RECOGNITION: No awards were pursued.

■ Objectives: Create safer pedestrian crossings by slowing and calming traffic, as well as pinching the crossing

corners with bump-outs.

Beautify the streetscape with native plant materials.

Provide habitat and

food for wildlife such as birds, bees and butterflies.

Mitigate heat from the wide expanse of asphalt.

PERFORMANCE MEASURES: No specific measures weer put in place, but plant growth is a true indicator of

an aesthetic, comfortable environment.

Harvest rainwater for the plants, lessen street flooding, and

Provide shade for both pedestrians and parked cars and reduce ambient temperatures in the area.

Create

REGULATORY: None

STAKEHOLDERS:

success.

GOALS

PHOTOS

	ESTIMATED COST	\$315,000
	FUNDING SOURCE	Neighborhood Reinvestment Grant, Back to Basics Grant
COST	ACTUAL COST	DESIGN COST: \$51,800 CONSTRUCTION COST: \$335,517 (NIC Planting) PLANTING: \$50,000 Back to Basics Grant (Neighborhood applied for)
	MAINTENANCE	Rincon Heights Neighborhood
	COMPARE TO CONVENTIONAL	No comparison estiamted
	TIME TO BUILD	90 days

FINISHED PROJECT DESCRIPTION:

such volumes.

This allowed portions of the road to be narrowed; some intersection corners were bumped toward the roadway centerline so pedestrains have less exposure to traffic when crossing.

Mid-block bump-outs allow protection to parked cars as well.

Selection of plant materials was critical because the City cannot maintain irrigation on residential streets.
Plants only receive rainwater, and occasionally supplemental water from the neighbors.

The City watered the plantings for one year with a water truck.

SUMMARY

DESIGN FEATURES:

■ Curbed chicanes were used to narrow the street width. The curb protects the plant materials but curb cuts allow street runoff to easily enter the swaled planting area.

The swales are curved when space allows, and lined with chunky 4" to 8" rock to slow the flow and allow rainfall addtional time to permeate.

Native and low water-use plant materials were installed because no City maintained irrigation is allowed on residential

9th Street was originally configured to easily carry 4 lanes of traffic, but its residential status never generate



LID / GI DEVELOPMENT

Low Impact / Green Infrastructure



LOCATION MAP

LESSONS LEARNED

SOMETHING TO BE PROUD OF:

This project was the first in Tucson to showcase how a neighborhood street could be transformed from a wide, hard asphalt corridor that promoted a hot, uncomfortable environment, to a more flowing vegetated and shady boulevard.

SOMETHING TO BE DONE DIFFERENTLY:

- Be selective about plant species. An open planting design using contrasting form and color is more pleasing than a dense tangled mass.
- The propagation of weed seed is always an issue on any site. The City of Tucson DOT cannot maintain residential streets; therefore, the neighbors must pledge to keep the vegetated chicane (bump-out) areas clear of weeds. Although neighbors may enthusiatically pledge at the beginning of a project, resident turn-over, as well as lost interest, may ultimately result in lack of maintenance and a weedy appearance. Some areas are maintained and some are not.
- Lack of maintenance results in plants growing to heights that can obscure site visibility triangles.











PROJECT TYPE: TRANSPORTATION

- Local Neighborhood
- Retrofit



PROJECT NAME:

RINCON HEIGHTS: 9TH & 10TH ST- CAMPBELL to PARK



PROJECT NAME: SCOTT AVENUE REVITALIZATION

PROJECT TYPE: ■ TRANSPORTATION ■ Local Neighborhood ■ Retrofit

	LOCATION	Scott Avenue, from Broadway to Cushing/ 14th Street
	ACRES	Three blocks; approximately 1/4 mile long
DATA	CLIENT	City of Tucson Department of Transportation
	CONTACT	City of Tucson Department of Transportation
	DESIGNED BY	Stantec Consulting, civil engineering and Project Prime Wheat Scharf Associates, planting, water harvesting, and hardscape design Ten Eyck Landscape Architects, landscape design associate firm Kittelson & Associates, signing and marking Hines Irrigation Consultants, Inc., irrigation design
	COMPLETED	5/1/2009

	ESTIMATED COST	N/A
	FUNDING SOURCE	City of Tucson
COST	ACTUAL COST	DESIGN COST: N/A CONSTRUCTION COST: 37 million
	MAINTENANCE	City of Tucson Downtown Partnership
	COMPARE TO CONVENTIONAL	N/A
	TIME TO BUILD	12 months

Tucson, AZ

REGULATORY: City of Tucson Land Use Code and Development Standards STAKEHOLDERS: Downtown business owners Developers Neighborhood associations City staff PROJECT RECOGNITION: N/A PERFORMANCE MEASURES: N/A

FINISHED PROJECT DESCRIPTION: Scott Avenue is an appealing, shadey pedestrian way. Sidewalks are a comfortable 8' minimum; they accommodate crowds attending the theater due to their spacious width and the tree canopies provide climate control. Landscape is lush but comprised of native materials. The natives have low water requirements which are supplemented by water harvesting practices which capture significant flows from rainfall events. New site furnishings include benches, bicycle racks, trash/recycling receptacles, drinking fountains (with a separate pet bowl). Solar powered art created a welcoming statement at the entrance to Scott Avenue. These gateway features illustrate through pictures and text the historic and cultural significance of Scott Avenue. A portion of the Presidio Trail, an historic walking trail throughout downtown, was highlighted with glass aggregate pavers and solar powered paver lights.


SUMMARY

DESIGN FEATURES: ■ Pedestrians were the focus of the design. ■ The pavement section was narrowed from 55' curb to curb, to a varied 22' to 33' width. ■ This allow for wider sidewalks and pedestrian walkways. ■ Water harvesting was an integral part of the design, not an add on. ■ The harvesting principals supplemented the plant water requirements, but also mitigated storm events by decreasing water in the street. ■ New, more comprehensive and energy efficient street and pedestrian lighting, fitted with white lighting for better color rendition.



LID / GI DEVELOPMENT

Low Impact / Green Infrastructure



LOCATION MAP

LESSONS LEARNED

SOMETHING TO BE PROUD OF:

■ Tucsonans see great value in the transformation of Scott Avenue. Its sustainable features are a functioning lesson of the benefits these practices provide. ■ Signature Sonoran desert species were utilized to showcase the diversity of the flora and fauna in this region of the United States. ■ Existing sidewalks were demolished and much of that concrete was crushed and reused within the planting areas as a mulch cover.

SOMETHING TO BE DONE DIFFERENTLY:

■ Widening the curb cuts as well as providing a solid surface just inside the cut would have made maintenance easier. ■ In current designs, we are providing sufficient area for maintenance to shovel out collected debris at the curb cut entry.

PHOTOS









PHOTOS









PROJECT TYPE: TRANSPORTATION

- Local Neighborhood
- Retrofit



PROJECT NAME:

SCOTT AVENUE REVITALIZATION



PROJECT NAME: U of A LESTER STREET LANDSCAPING

PROJECT TYPE: ■ TRANSPORTATION ■ Local Neighborhood ■ Retrofit

SW corner Lester and Marti	LOCATION	
0.31 Acres (13,661 sf	ACRES	
University of Arizon	CLIENT	DATA
Grant McCormick, PD grantmc@email.arizona.ed	CONTACT	
UA Planning, Design, and Constructio	DESIGNED BY	
201	COMPLETED	

REGULATORY: Compliance with Univesity of Arizona's Design Site Standards (DSS) provisions for surface water management.

STAKEHOLDERS

- ▶ UA Administration, Facilities Management, Parking and Transportation Services, and Planning, Design and Construction.
- ▶ The visitors and employees of the Arizona Health Sciences Center.
- ► The Jefferson Park Neighborhood to the north.
- Objectives included providing a forum to educate the community about water harvesting.
- Mitigate sediment transport due to excessive rain event flows off site.

PROJECT RECOGNITION: Project did not seek LEED designation.

PERFORMANCE MEASURES: ■ Approximately 1" of rain will be held in the landscape basins. ■ Natural ecology of the site will be increased as a result of the project – plant materials and canopy cover will promote urban cooling and habitat creation; root structure and extended flow path will increase water infiltration; stabilization of soils due to root kniting and decreased run-off due to plant cover will decrease soil sediment transport.

Tucson, AZ





LID / GI DEVELOPMENT

Low Impact / Green Infrastructure



LOCATION MAP

LESSONS LEARNED

SOMETHING TO BE PROUD OF:

The project provided an opportunity to experiment with a number of fine grading techniques that blend water harvesting with stormwater management. User/stakeholder feedback has been very positive about the results. A valuable asset for the University and adjacent neighborhoods has been created which will serve as a template for future campus edge/buffer landscape projects.)

SOMETHING TO BE DONE DIFFERENTLY:

The planting plan was developed over top of a conceptual grading basemap which led to the need for more field interpretation of plans when planting locations did not appear to fit with the actual landform that was created. This suggests it is preferable to develop planting designs over top of the actual grading detailed plan (or develop these plans iteratively).

ESTIMATED \$60,000 to \$70,000 COST **FUNDING** UA administration in conjunction with adjacent UA parking lot development (south of the SOURCE DESIGN COST: Absorbed by U of A departments. BASE CONSTRUCTION: Contractor provided asphalt demolition and rough grading. ACTUAL COST FINISH CONSTRUCTION COST: UA Facilities Management Grounds Services provided fine grading, COST planting, boulder placement, paths, walks and irrigation. MAINTENANCE Maintained by UA Facilities Management Grounds Services. COMPARE TO Not calculated CONVENTIONAL TIME TO BUILD 5 months

FINISHED PROJECT DESCRIPTION: ■ A series of carefully graded, sculpted landforms create the setting for stormwater harvesting and mitigation. ■ All 1:5 or less basin slopes are covered with 1/2" crushed rock and acceented on steeper 1:3 slopes with 3" to 6" rip rap. Fractured rock boulders further accent the design. ■ They are designed to passively irrigate carefully selected, native plant species. ■ The stabilized decomposed granite pathways permit access within the garden-like basin area.

Estimated Annual Rainfall: 242,000 gallons Estimated Rainfall Held On site: 132,000 gallons

Total Site Area: 31,900 sf -Rooftop: 6,500 sf

-Rooftop: 6,500 sf 75% Impervious -Paved: 17,575 sf

SUMMARY -Paved: 17,575 si -Unpaved: 7,825 sf

DESIGN FEATURES: ■ A series of interconnected basins were created to capture, slow, and infiltrate storm water collecting on an adjacent parking lot and building to the south. ■ Terraces and spillways were designed to maximize the flowpath between the source watershed and the outflow, allowing the ideal dispersal of rainwater for beneficial infiltration to plant roots. ■ Plant selection included drought tolerant species. ■ Drip irrigation was installed. ■ Decomposed granite paths were raised to create dry passage during rain events and further retain the rainfall. ■ There is a standard City of Tucson sidewalk along Lester Street.

PHOTOS - Progression

GOALS









PHOTOS









PROJECT TYPE: TRANSPORTATION

- Local Neighborhood
- Retrofit



PROJECT NAME:

U of A LESTER STREET LANDSCAPING

